M

INDEX MAPS.

T.1N R.8W 2nd Mer.



T.2N R.8W 2nd Mer.



☞ The figures on the lines refer to the page.

Township No. 1 North of Range No. 8 West 2nd. Mer. Ind^a.

Chs. Lks.

South Boundary or Base Line

West On the Base Line On the South Boundary of Sec. 36.
T. 1 N. R. 8 W.
11.20. To a W. Oak 20 in. diar. bears in the line.
40.00 Set a ¼ Sec. post from which a
W. Oak 26 in. diar. bears [illegible] E. 26 links dist. & a
Hickory 14 " " " N 66 W. 20 " "
48.60 To a Brook 6 links wide, Course S.W.
56.70 To a W. Oak 16 in. diar. in the line.
72.90 " " Hickory 12 " " " " "
80.00 Set a post for the cor. of Secs. 35 & 36. from which a
Gum 12 in. diar. bears West 14 links dist. & a
Hickory 10 " " " S 85 E 24 " "
This mile is low ridges; Timber Mostly Oak Some Hickory
much Dog wood undergth. Excellent farming land.
Water scarce.

West On the Base line On the South Boundary of Sec. 35.
T. 1 N. R. 8 W
11.20 To a Hickory 12 in. diar. in the line.
27.10 " " Gum 12 " " " "
40.00 Set a ¼ Sec. post from which a
B. Oak 50 in. diar. bears N 63½ E 42 links dist. & a
Do. 12 " " " N 85 W. 36 " "
63.40 To a Hickory 12 in. diar. in the line.
80.00 Set a post for the cor. of Secs. 34 & 35 from which a
Hickory 12 in. diar. bears N 49 W. 22 links dist. & a
Gum 12 " " " S 16 W. 18 " "
Land is wavy Good soil; Timber Oak Hickory Elm
Gum Poplar. Undgth. Dog wood.

West On the Base Line On the South Boundary of Sec. 34.
T. 1 N. R. 8 W
24.10 To a Brook 10 links wide, Course N.W.

Comp^d. No. 1–8

T. No 1. N R. No 8 W 2nd Mer. Ind^a.

28.54 To a Hickory 18 in. diar. Stands in the line.
40.00. Set a ¼ sec post from which a
W Oak. 20 in. diar. bears N 58 W 33 links dist; & a
Do. 28 " " " N 58 E. 23 " "
50.06 To a B. Oak. 20 in. diar. in the line.
80.00. To a Drain Course S. Set a post for the cor. of Sec. 33 & 34
from which a Elm 24 in diar. bears S 80 W. 40 links dist
and a W Oak. 30 " " " N 88 E. 28 " "
This mile is wavy land; Timber Oak. Poplar, Sassafras
Dogwood & Spice underg^th. Good soil.

West On the Base Line On the South Boundary of Sec. 33.
T. 1 N R. 8 W.
3.46 To a W Oak. 17 in. diar. in the line
36.48 " " Locust 20 " " " " "
40.00 Set a ¼ sec post from which a
Maple. 12 in. diar. bears N 27 W. 6 links dist; & a
Do. 14 " " " S 37 E. 28 " "
52.38 To a B. Oak. 30 in. diar. Stands in the line.
70.10 To a Drain Course S.
80.00. Set a post for the cor. of Sec. 32 & 33 from which a
W Oak. 16 in. diar. bears S 55 W. 12 links dist; & a
Poplar. 24 " " " N 44 W. 8 " "
Land level Timber Oak, Some Maple, Poplar, &
Sassafras. Underg^th Dogwood and Some Spice.

West On the Base Line On the South Boundary of Sec. 32
T. 1 N R. 8 W.
6.14 To a Hickory 18 in diar. Stands in the line.
40.00 Set a ¼ Sec post from which a
Spanish Oak. 24 in diar. bears N 81 E 30 links dist; & a
Swamp. Oak 18 " " " S 37 W. 21 " "
48.10 To an Elm. 18 in diar. in the line.
73.38 " " Gum. 30 " " " " "

T. No 1 N.R. No 8 W. 2nd Mer. Ind^a.

80.00 Set a post for the cor of Sec. 31 & 32 from which a
Maple. 20 in. diar bears S 3 E. 10 links dist; & a
Do. 10 " " " N 5 E. 12 " "
This mile is flat land, sometimes covered with water.
Timber Elm, Maple, Ash, Gum, Swamp Oak & Spicewood,
in places.

West On the Base Line On the South Boundary of Sec. 31.
T. 1 N.R. 8 W.
15.44 To a W. Oak 14 in. diar. stands in the line.
20.10 " " Brook. 30 links wide, Course N 30 W.
38.20 To a Brook. 15 " " " N 20 E.
40.00 Set a 1/4 sec post from which a
Elm. 18 in. diar. bears. S 53 W 21 links dist; & a
Poplar, 20 " " " N 32 E 37 " "
79.46. To a W. Ash, 26 in diar. in the line.
80.00 Set a post for the cor of Towns. 1. N Rs. 8 & 9 W. from which a
W. Oak. 12 in diar. bears. S 16 W. 30 links dist; & a
Do. 12 " " " N 54 E. 30 " "
This line is uneven Soil middling: Timber Oak,
Run bottom.

Surveyed by
E Buckingham D.S.

East Boundary

Comp

North On the East Boundary of Sec. 36. T. 1 N.R. 8 W
10.74 To a Red Oak 14 in diar. in the line.
15.40 " " B. Oak. 24 " " " " "
40.00 Set a 1/4 sec post from which a
W. Oak. 17. in diar. bears. N 61 E. 12 links dist; & a
Hickory 7 " " " N 86 W 44 " "
54.00 To a B. Oak. 20 in diar. in the line.
61.73 " " W. Oak. 12 " " " " "
80.00 Set a post for the cor. of Sec. 25 & 36. from which a

T. No 1 N R. No 8 W. 2nd Mer. Ind a.

W. Oak 9 in. dia. bears N 28 E. 78 links dist.; & a
B. Oak. 10 " " " S 58 E. 66 " "
Land level; Thinly Timbered with R & W Oaks

North On the East Boundary of Sec. 25 T. 1 N R. 8 W.
14.28 To a W. Oak. 20 in. dia. in the line.
35.56 " " B. Oak. 20 " " " "
40.00 Set a ¼ sec. post from which a
W. Oak. 12 in. dia. bears S 59 E. 7 links dist.; & a
Do. 18 " " " N 64 W. 28 " "
41.50 To Vincennes Trace.
58.50 To a B. Oak. 13 in. dia. in the line.
80.00 Set a post for the cor. of Sec. 24 & 25. from which a
W. Oak. 8 in. dia. bears N 19 W. 38 links dist.; & a
Do. 12 " " " N 45 E. 62 " "
Land 2nd & 3rd rate upland; Timber R & W Oak.

North On the East Boundary of Sec. 24 T. 1 N. R. 8 W.
40.00 Set a ¼ sec. post from which a
B. Oak. 14 in. dia. bears N 60 W. 26 links dist.; & a
Gum. 6 " " " S 40 W. 46 " "
55.00 To a P. Oak. 6 in. dia. in the line.
80.00 Set a post for the cor. of Sec. 13 & 24. from which a
Gum. 12 in. dia. bears S 29 W. 19 links dist.; & a
W. Oak. 14 " " " N 69 W. 29 " "
Land 3rd rate hills; A few scattering R. Oaks.

North On the East Boundary of Sec. 13. T. 1 N. R. 8 W.
25.00 To a Run. 30 links wide, course N.E.
35.00 " " Do. 30 " " " N.W.
40.00 Set a ¼ sec. post from which a
H. Locust 30 in. dia. bears N 48 W. 28 links dist.
& a W. Ash. 20 " " " N 9 E. 33 " "
55.50 To a Gum. 24 in. dia. on the line.

T. No 1. N.R. No 8 W. 2nd Mer. Indª

8000 Set a post for the cor of Secs. 12 & 13 from which a
Elm. 8 in. dia. bears S 58 E. 6 links dist; & a
Beech. 14 " " " N 36 W. 36 " "
Land very hilly and brushy; Timber R. & W. Oak. 1

North On the East Boundary of Sec. 12. T. 1. N R. 8 W.
2.15 To a W Oak. 36 in. dia. in the line.
40.30 " " Gum. 15 " " " " "
40.00 Set a 1/4 Sec. post from which a
Butternut 8 in. dia. bears S 54 E. 33 links dist; & a
W Oak. 12 " " " S 63 W. 27 " "
47.88 To a W Ash. 18 in. dia. Stands in the line.
80.00 Set a post for the cor of Secs. 1 & 12 from which a
Red Oak. 20 in. dia. bears N 80 E. 22 links dist; & a
Hoop Ash. 14 " " " N 19 W. 33 " "
Land hilly and 3rd rate; Well watered with Springs
Timber Oak Dogwood & Hickory.

North On the East Boundary of Sec. 1. T. 1. N R. 8 W.
32.00 A Soft Maple. 7 in. dia. Stands for the cor of Sec. 1. on the
Left Bank of W. River. — 10.15 chs. wide, Course S 70 W
42.15 Over the River.
59.65 To the West Branch of W. River 945 links wide,
Course S 40 E.
69.10 Over the River.
8000 Set a post for the cor of Ts. 1 & 2 N. Rs. 7 & 8 W. from which
a Hoop Ash. 8 in. dia. bears N 4 W 8 links dist; & a
Do. 8 " " " S 74 E. 50 "
Land 1st rate; Timber Hoop & W. Ash, Sugar. &
B. Walnut. &c.

North Boundary

West On the South Boundary of Sec. 36. T. 2. N R. 8 W
3.50 To the Left Bank of White River.

T. No. 1. N. R. No. 8 W. 2nd Mer. Indª

4.58	Over an Island to the West Branch of W. River.
13.25	To the Opposite Branch of W. River. Course S 40 E.
80.00	Set a Post for the cor. of Secs. 35 & 36 from which a
	Hickory 14 in. diar. bears N 15 E 29 links dist. & a
	Gum. 20 " " " S 28 E 24 " "
	Land 1st rate bottom: Timber Hickory, B. Walnut,
	H. Locust, Sugar, & Beech;

West	On the South Boundary of Sec. 35. T. 2 N. R. 8 W
80.00	Set a Post for the cor. of Secs. 34 & 35 from which a
	Gum. 7 in. diar. bears S 27 W 48 links dist. & a
	Do. 8 " " " S 44 E 70 " "
	Land level upland; Cold & Cloggy. Covered
	with Black berry briers. Thinly timbered with W & B.
	Oaks.

West	On the South Boundary of Sec. 34. T. 2 N. R. 8 W
80.00	To a Beech 11 in. diar. Stands for the cor. of Secs. 33 & 34
	Over hilly land; thinly timbered with Oak,
	Land Poor & briery 3rd rate; Some Small Beeches.

West	On the South Boundary of Sec. 32. T. 2 N. R. 8 W
3.15	A Hickory 11 in. diar. in the line.
54.50	To a Creek 50 links wide, Course S.
73.50	" " W. Oak 30 in. diar. in the line.
80.00	" Set a Post for the cor. of Secs. 32 & 33. from which a
	Beech 8 in. diar. bears N 47 E 17 links dist. & a
	Do. 20 " " " S 40 W 38 " "
	Land 2nd rate & Hilly; Timber Beech, & Oak.

West	On the South Boundary of Sec. 31. T. 2 N. R. 8 W
3.50	To a Beech 12 in. diar. in the line.
15.00	To a Drain 50 links wide, Course S.
82.00	To Town. Cor. for Ts. 1 & 2 N. Rs. 8 & 9 W.

T. No. 1. N R. No. 8 W 2nd Mer. Inda.

Over hilly Beech land.

West On the South Boundary of Sec. 33. T 2 N R. 8 W.
75.70 To a Beech. 20 in diar. in the line
Over hilly land. Beech & Oak Timber &c.
80.00 Set a post for the cor of Sec. 32 & 33 from which a
Beech 12 or in diar. bears. S 39 W. 13 links dist: & a
Do. 13 " " S 71 E 34 " "
Land hilly " Timbered thinly with R. & B. Oaks.

West Boundary.

North On the East Boundary of Sec. 36. T 1. N R. 9 W.
4.75 To a W. Oak. 20 in diar. stands in the line.
38.00 To a Creek 50 lks wide, Course W.
40.00 Set a 1/4 sec post from which a
Swamp Oak. 12 in diar. bears. S 8 E. 16 lks dist; & a
Poplar. 30 " " " East. 23 " "
40.86 To a Swamp Oak 20 in diar. in the line.
55.00 " " W. Ash. 36 " " " " "
80.00 Set a post for the cor of Sec. 25 & 36. from which a
Sugar. 12 in. diar. bears. N 20 E. 37 links dist; & a
Ash. 9 " " " S 5 E. 36 " "

North On the East Boundary of Sec. 25. T. 1. N R. 9 W.
15.00 To a Creek. 25 links wide, Course W.
21.58 " " Poplar. 30 in diar. in the line.
4000 " Set a 1/4 sec post from which a
Hickory 11 in diar. bears. N 31 E. 16 links dist; & a
Do. 10 " " " West 35 " "
56.60 To an H. Locust 18 in diar. in the line
8000 Set a post for the cor of Sec. 24 & 25 from which a
Gum. 9 in diar. bears. S 25 E 5 links dist; & a
W. Oak. 14 " " " S 16 W. 26 " "
Land 2nd rate bottom; Timber Oak & Hicky.

T. N°. 1. N R. N°. 8 W 2nd Mer Indª.

North On the East Boundary of sec 24. T. 1. N R. 9 W
3.72 To a W Oak. 36 in diar. stands in the line.
40.00 Set a qr sec post from which a
Ash. 12 in. diar bears N 32 E 14 links dist: & a
Elm. 8 " " " East 14 " "
48.50 To an Elm. 10 in diar. in the line.
65.22 To a Cherry 12 " " " "
80.00 Set a post for the cor of secs 13 & 24 from which a
Elm. 14 in diar. bears N 79 W. 8 links dist: & a
Ky. 12 " " " N 22 E. 36 " "
Land low bottom Timber Elms & Maple &c

North On the East Boundary of sec. 13. T. 1. N R. 9 W
18.70 To a Honey Locust. 30 in diar. in the line.
40.00 Set a qr sec post from which a
H. Locust. 26 in diar. bears North 28 links dist; & a
Elm. 11 " " " N 44 E. 32 " "
61.96. To a Hackberry 20 in diar. in the line.
80.00 Set a post for the cor of secs 12 & 13 from which a
Hickory 12 in diar. bears N 67 E 25 links dist; & a
Elm. 6 " " " S 45 E 13 " "
Land flooding low bottom Timber Elm, Hickory, & H. Locust.

North On the East Boundary of sec. 12. T. 1. N R. 9 W
5.25 To a Hackberry 14 in diar. in the line.
21.80 To an Elm. 36 in diar. " " "
40.00 Set a qr sec post from which a
Sugar. 12 in diar. bears N 81 E. 13 links dist; & a
Red Bud 9 " " " N 15 E. 35 " "
41.61. To a Sweet Gum 20 in diar. in the line.
65.78 " " Do. Do. 34 " " " " "
80.00 Set a post for the cor of secs 1 & 12 from which a
Hackberry 11 in diar. bears N 52 E. 36 links dist; & a
Sugar. 10 " " " S 4 E. 33 " "

T. No. 1 N.R. No. 8 W. 2nd Mer. Inda.

Land low bottom; Timber Walnut, Hackberry, &c

North On the East Boundary of Sec. 1 T. 1 N.R. 9 W
5.00 To a Hackberry 18 in diar. on the line.
12.50 To the Left Bank of White River. and set a post for the cor of Sec. 1 from which a
W. Oak. 12 in diar. bears S66 E. 8 links dist; & a
Sycam. 24 " " " N31 W. 20 " "
25.00 A B. Oak. 24 in diar. stands for the cor of Sec 1. on the Right Bank of W. River.
70.00 To a Poplar. 18 in diar. on the line.
80.00 Set a post for the cor of Towns. 1 N. R's 8 & 9 W from which a W. Ash. 15 in diar. bears N26 E 17 links dist and a Beech. 9 " " " S40 E. 11 " "
Land bottom; & 2nd rate hill land. Timber chiefly Beech. Nov. 7th.

Surveyed by
Edward W. Tupper &
Augustus Stone,
Deputy Surveyors.

Subdivisions

North Between Secs. 35 & 36. T. 1. N.R. 8 W
37.50 To a Red Oak. 30 in diar. on the line.
40.00 Set ¼ sec post from which a
B. Oak. 14. in diar. bears S51 E. 27 links dist; & a
R. Oak. 12 " " " N19½ W " "
45.90 To a Hickory 11 in diar. stands on the line.
55.08 To a B. Oak. 12 in diar. on the line.
80.00 Set a post for the cor of secs. 25, 26, 35 & 36 from which a W. Oak. 16 in diar. bears S23 E. 50 links dist; & a
Do. 28 " " " N45 W. 73 " "
Land flat and barren: A few R. Oaks.

T. Nº 1. N.R. Nº 8 W. 2nd Mn. Indª

West	Between Sec. 25 & 36. T. 1. N.R. 8 W.
40.00	Set a ¼ sec. post from which a
	Gum 10 in dia. bears S 29 W. 13 links dist; & a
	Do. 9 " " " S 21 E. 17 " "
72.00	To a W. Oak 20 in dia. in the line.
80.00	Set a post for the cor. of sec. 25, 26, 35 & 36.
	Land hilly and barren. Thinly timbered with
	Red & W. Oak.
North	Between Sec. 25 & 26. T. 1 N.R. 8 W.
20.84	To a W. Oak 14 in dia. in the line.
40.00	Set a ¼ sec. post from which a
	W. Oak 28 in dia. bears S 62 E. 33 lks dist; & a
	B. Oak 12 " " " N 64 W. 23 " "
56.70	To Vincennes Trace.
61.80	To a W. Oak 20 in dia. in the line.
80.00	Set a post for the cor. of sec. 23, 24, 25 & 26 from which a
	W. Oak 8 in dia. bears S 40 E. 24 links dist; & a
	Hickory 9 " " " N 50 E. 34 " "
	Land level; Timber W. Oak Thinly timbered
West	Between Sec. 24 & 25 T. 1. N.R. 8 W.
40.00	Set a ¼ sec. post from which a
	W. Oak 18 in dia. bears N 51 W. 16 links dist; & a
	Do. 20 " " " S 64 E. 18 " "
41.00	To a B. Oak 24 in dia. in the line.
62.00	" " Do. 18 " " " "
80.00	Struck cor. to sec. 23, 24, 25, & 26.
	Land poor barren hills; A few solitary Oaks.
North	Between Sec. 23 & 24 T. 1. N.R. 8 W.
37.50	To a Hickory 12 in dia. in the line.
40.00	Set a ¼ sec. post from which a
	Gum 8 in dia. bears S 39 W. 9 links dist; & a
	Do.

T. No. 1. N R. No. 8 W. 2nd Mer. Ind^a.

Gum. 8 in. diar. bears N 73 W. 26 links dist.
49.50 To a Span. Oak. 14 in. diar. on the line.
80.00 Set a post for the cor of secs. 13. 14. 23 & 24 from which a
W Oak 9 in. diar. bears S 4 E. 13 links dist.; & a
Gum. 14 " " " S 86. W. 20 " "
Land sharp barren ridges, Timber Blk & W Oak.

West Between Sec. 13 & 24. T. 1 N R. 8 W.
40.00 Set a ¼ sec post from which a
W. Oak. 10 in. diar. bears S 60 W. 15 links dist.; & a
B. Oak. 18 " " " N 71 W. 26 " "
53.34 To a Gum. 8 in. diar. in the line.
80.00 Struck the post cor of secs. 13. 14. 23 & 24
Land level poor ridges Timber Oak & Hicky.

North Between Sec. 13 & 14 T. 1. N R. 8 W.
03.83. To an R. Oak. 20 in. diar. in the line.
25.40 " a " Poplar. 40 " " " " "
40.00 Set a ¼ sec post from which a
Mulberry 14 in. diar. bears N 47 E. 15 links dist.; & an
Elm. 10 " " " N 55 W 35 " "
80.00 Set a post for the cor of secs. 11. 12, 13 & 14 from which a
Gum. 30 in. diar. bears N 10 W. 25 links dist.; & a
W Walnut. 10 " " " S 61 E. 36 " "
Land 1st half ridges; 2nd half 2nd rate bottom;
Timber Oak Sugar Poplar &c.

West Between Sec. 12 & 13 T. 1. N R. 8 W
4.00 An Excellent Spring.
19.00 To a Creek. 30 links wide, course N.
40.00 Set a ¼ sec post from which a
Sugar. 12 in. diar. bears S 35 W. 21 links dist.; & a
Gum 18 " " " N 28 E. 50 " "
61.45. To a Sugar. 14 in. diar. Stands in the line.

T. No. 1. N.R. No. 8 W. 2nd Mer. Ind.

80.00	Intersect the N & S line at the post cor. of Sec. 11. 12. 13 & 14.
	Sand barren hills; Weeds briers Grapevines.
North	Between Sec. 11 & 12 T. 1. N.R. 8 W.
2.50	To the Left Bank of W. River.
11.30	To the Right Bank of " " at an Sycamore 18 in. dia.
	An Elm 30 in dia.
40.00	Set a 1/4 sec post from which a
	Beech 24 in dia. bears N 39 E 22 links dist.; & a
	Poplar 30 " " " N 73 W 32 " ";
50.00	A pond to the West.
58.83	To a Hickory 14 in dia. in the line.
63.00	A Pond to the East.
80.00	Set a post for the cor. of Secs 1. 2, 11. & 12 from which an
	Ash 20 in dia. bears S 75 E 15 links dist.; & a
	B. Oak. 10 " " " N 63 W 22 " "
	Over good bottom land. Timber Hoop Ash.
West	Between Sec. 1 & 12 T. 1. N.R. 8 W.
33.50	To a B. Walnut 48 in dia. in the line.
40.00	A Hoop Ash 8 in dia. stands for the cor. of 1/4 sec.
41.00	A Hoop Ash 7 " " " " " " " Sec. 1 & 12
	On the Left Bank of W. River.
	Surface good bottom 1st rate; Timber B. Walnut,
	Sugar, Hoop Ash, &c.
West	Continued the line between Sec. 1 & 12
46.00	To the River Bank.
56.50	" " Right Bank of W. River from which a
	Sycam. 18 in. dia. bears N 53 E 6 links dist.; & a
	Walnut. 18 " " " S 18 W 03 " "
23.50	(80.00?) To the post cor. of Sec. 1. 2, 11. & 12.
	Over good bottom. Timber Ash, Sugar, Beech &c.
North	Between Sec. 1 & 2 T. 1 N.R. 8 W.

T. No 1 N R. No 8 W. 2nd Mer. Indo.

6.50 To a Brook. 6 links wide, course SE
40.00 Set a ¼ sec post from which a
Beech 14 in. dia. bears S 85 E. 21 links dist; & a
Do. 20 " " " S 55 W. 26 " "
54.60 To a Beech 12 in dia. in the line.
82.19 Intersect the N. Boundary at a Maple 15 in dia.
which stands for the cor of secs. 1 & 2. in a large Swamp
This mile is mostly over Rolling land. Timber Oak,
Beech

North Between Secs. 34 & 35. T. 1 N R. 8 W.
16.97 To a Hickory 12 in dia. in the line.
40.00 Set a ¼ sec post from which a
Gum 18 in dia. bears N 81 W. 26 links dist; & a
Hickory 16 " " " S 59 E. 33 " "
41.00 To a Gum 24 in dia. in the line.
65.72 To a Span. Oak, 10 in dia. in the line.
80.00 Set a post for the cor of secs. 26. 27. 34 & 35 from which a
Hickory 16 in dia. bears S 13 E. 23 links dist; & a
W. Oak. 26 " " " N 45 W. 45 " "
Land level Timber W Oak & Hickory

West Between Secs. 26 & 35. T. 1 N R. 8 W.
40.00 Set a ¼ sec post from which a
Dogwood 6 in dia. bears S 80 W. 27 links dist; & a
Hickory 14 " " " S 7 W. 45 " "
58.87 To a Span. Oak, 20 in dia. in the line.
73.54 " " Do. Do. 24 " " " " "
80.00 Intersect the N & S line at the post cor of secs. 26, 27. 34 & 35.
Land level and good; Timber R & W Oak, & Hickory
On Random line fell 21 links North of the Post cor of
Sec. —

North Between Secs. 26 & 27 T. 1 N R. 8 W.

398

T. No. 1. N. R. No. 8. W. 2nd Mer. Ind.a

7.80 To a W. Ash. 18 in. diam. in the line.
24.72 To a Honey Locust. 18 in. diam. in the line.
40.00 Set a ¼ sec. post from which a
Elm. 10 in. diam. bears S. 10 E. 8 links dist; & a
Hickory 14 " " " S. 7 W. 45 " "
45.00 To Vincennes Trace.
69.80 To a W. Oak 18 in. diam. stands in the line.
80.00 Set a post for the cor. of sec. 22, 23, 26, & 27 from which a
Sugar. 14 in. diam. bears N. 35 E. 41 links dist; & a
Do. 12 " " " N. 60 E. 24 " "
Good level land; Timber Oak & Hick.
Random fell 38 lks S. of post.

West Between Sec. 23 & 26. T. 1 N. R. 8 W.
40.00 Set a ¼ sec. post from which a
Dogwood. 8 in. diam. bears S. 10 W. 10 links dist; & a
W. Oak. 30 " " " N. 28 E. 38 " "
56.57 To a Red Oak. 24 in. diam. in the line.
77.00 An Elm. 24 " " " "
80.00 Intersect the N. & S. line at the post cor. of sec. 22, 23, 26 & 27
Land 2nd. rate; Timber Oak & Hick.
On Random line fell 38 links South of the post.

North Between Sec. 22, & 23. T. 1 N. R. 8 W.
14.20 To a Sugar. 18 in. diam. in the line.
37.90 " " Poplar. 36 " " " "
40.00 Set a ¼ sec. post from which a
Poplar. 30 in. diam. bears S. 50 E. 27 links dist; & a
Do. 24 " " " N. 15 E. 12 " "
68.40 To a W. Ash. 8 in. diam. in the line.
80.00 Set a post for the cor. of sec. 14. 15, 22 & 23, from which a
Elm. 12 in. diam. bears S. 79 W. 53 links dist; & a
Sycamore. 18 " " " N. 55 W. 46 " "
Land Ridges and Creek bottom. Timber Sugar,

T. No. 1 N. R. No. 8 W. 2nd Mer. Indª

Poplar & Oak.

West Between Secs. 14 & 23. T. 1. N. R. 8 W.
40.15 Set a ¼ sec post from which a
W. Ash. 8 in. dia. bears N78E. 16 links dist. & a
Beech. 18 " " " N41W. 38 " "
58.30 To a B. Oak. 36 in. dia. in the line.
80.30 Intersect the N & S line at the post cor. of Secs. 14. 15, 22 & 23.
Land sharp ridges; Timber Oak. Beech, & Hicky.

North Between Secs. 14 & 15 T. 1. N. R. 8 W.
38.00 Set a post on the Left Bank of W. River for the cor. of
Secs. 14 & 15. from which a
Sugar. 10 in. dia. bears N67W. 10 links dist. & a
Do. 18 " " " S66E. 12 " "
Land low Creek bottom. Timber Sugar, Sycamore &c.
South Between Secs. 14 & 15
22.00 Set a post on the Right Bank of W. River for the cor. of
Secs. 14 & 15 from which a
Beech. 10 in. dia. bears S12W. 35 links dist. & a
Do. 20 " " " N49E. 15 " "
Over Good bottom Timber Ash & Beech.

North Between Secs. 10 & 11. T. 1. N. R. 8 W.
11.04 To a Hicky 22 in dia. in the line.
15.00 To High bottom.
40.00 Set a ¼ sec post from which an
Elm. 14 in. dia. bears S71W. 16 links dist. & a
Beech. 36 " " " N37E. 39 " "
44.00 To a stream 10 links wide, Comes on line 200 links then
goes S.W.
44.00 To an Elm. 40 in dia. in the line.
74.00 To a Brook. 4 links wide, course S.W.
80.00 Set a post for the cor. of Secs. 2, 3. 10 & 11. from which a

T. No. 1. N. R. No. 8 W. 2nd Mer. Inda.

	Elm. 5 in. diar. bears S 70 E. 10 links dist; & a
	Ash. 4 " " " N 50 W. 7 " "
	Over good Beech land. Rolling.
West	Between Sec. 2 & 11. T. 1. N R. 8 W.
1.50	To a Pond. 450 links wide, 1st Sept. 1807.
East	Between Sec. 2 & 11.
40.00	Set a 1/4 sec post; A Sugar. 36 in. diar. Stands for the cor of 1/4 sec.
67.04	To a stream 4 links wide, course S.
70.00	To a Pond and flowed bottom. Over good Beech Land. Decr. 2nd 1809
North	Between Sec. 2 & 3. T. 1. N R. 8 W
11.68	To a Hickory 10 in. diar. in the line.
40.00	Set a 1/4 sec post from which a Gum. 20 in. diar. bears N 9 E. 24 links dist; & a W. Oak. 24 " " " S 52 E. 68 " "
55.41	To a Poplar. 20 in. diar. in the line.
78.37	To a Hickory 12 in. diar. in the line.
85.00	Intersect the N. Boundary 25 links West of the Post. cor of Sec. 34 & 35. T. 2 N R. 8 W and set a post for the " " " 2 & 3. from which a B. Oak. 24 in. diar. bears S 39 E. 25 links dist; & a Do. 36 " " " S 65 W 99 " " Over 2nd rate land. Timber Oak.
North	Between Sec. 33 & 34. T. 1. N R. 8 W.
15.73	To a R. Oak. 30 in. diar. in the line
40.00	Set a 1/4 sec post from which a Poplar 30 in. diar. bears N 76 E. 13 lks dist; & a Dogwood 8 " " " N 21 E. 15 " "
58.69	To an Elm. 36 in. diar. in the line.
80.00	Set a post for the cor of Sec. 27. 28 33 & 34 from which a

Sycamore 8 in diar. bears N72 E. 17 links dist; & a
Sugar 12 " " " N73 W. 27 " "
Land last ½ mile bottom 2nd rate; Timber Oak, Ash,
Sugar, &c.

West Between Sec. 27 & 34 T. 1. N.R. 8 W.
40.00 Set a ¼ Sec. post from which a
Elm 8 in diar. bears N71 E. 12 links dist; & a
Do 10 " " " N10 E. 14 " "
40.20 To a Creek 50 links wide, Course N.
45.50 " " Do. 50 " " " S.
80.00 Intersect the N & S line at the post cor. of Sec. 27, 28 33 & 34
Land 1st River bottom. Heavy timber Sugar, Poplar,
Oak, &c. Random line 80 links N. of the post.

North Between Sec. 27 & 28. T. 1. N.R. 8 W.
28.00 To a Poplar 40 in diar. in the line.
40.00 Set a ¼ Sec. post from which a
Elm 11 in diar. bears S32 W. — lks dist; & a
Dogwood 7 " " " N32 E. — " "
50.00 Vincennes Trace
63.00 To a Creek 30 links wide, Course W.
80.00 Set a post for the cor. of Secs. 21. 22. 27 & 28 from which a
Poplar 28 in diar. bears S60 E. 11 links dist; & a
Sycam. 18 " " " N86 E. 17 " "
Land 1st River bottom Timber Sugar Poplar & Oak.

West Between Sec. 22, & 27. T. 1. N.R. 8 W.
18.80 To a Small Clear brook Course S.
40.00 Set a ¼ Sec. post from which a
Sugar 10 in. diar. bears S62 E. 14 links dist; & a
Do. 8 " " " N8 E. 25 " "
80.00 Intersect the N & S line at the post cor. of Secs. 21. 22, 27 & 28.
Land Excellent River bottom Well watered with Springs

402

T. No 1. N.R. No 8. W. 2nd Mer. Indª

Timber Sugar Poplar &c.

North Between Sec. 21 & 22. T. 1. N.R. 8 W.

4.50 To a Poplar. 24 in diar. stands in the line.

40.00 Set a ¼ sec. post from which a
W. Ash. 24 in diar. bears S 21 W. 23 links dist; & a
Beech. 12 " " " N 50 W. 48 " "

49.50 To a Brook. 60 links wide, course East. Recrossed it at
52.50; 59.50; 63.50; 69.50.

80.00 Set a post for the cor. of Sec. 15. 16. 21. & 22 from which a
B. Oak. 30 in diar. bears N 38 W. 32 links dist; & a
Beech. 24 " " " S 14 E. 55 " "
Land on W. River bottom; 2nd rate; Timber Oak, Sugar, Sycamore.

West Between Sec. 15 & 22 T. 1 N.R. 8 W

40.00 Set a ¼ sec. post from which a
W. Ash. 24 in diar. bears N 58 W. 36 links dist; & a
Gum. 8 " " " S 14 W. 50 " "

73.50 To a Creek. 100 links wide, Course N.

80.00 Intersect the N & S line at the post cor. of Sec. 15, 16. 21. & 22. Land 1st ½ mile 2nd bottom; 2nd ½ barren hills; Timber same as last mile.

North Between Sec. 15 & 16 T. 1. N.R. 8 W.

1.28 Made a cor. for Sec. 15 & 16 on a Sycamore 24 in diar. on the Left Bank of W. River.

North Continued the line between Sec. 15 & 16.

1.13. To the River 11.00 ch. wide.

12.13. Set a post on the Right Bank of W. River for the cor. of Sec. 15 & 16. from which a
Maple. 10 in diar. bears S 15 E. 11 links dist; & a
Sycamore. 10 " " " N 66 W. 12 " "

80.00 Set a post for the cor. of Sec. 9. 10. 15 & 16 from which a

T. No. 1 N. R. No. 8 W. 2nd Mer. Ind.

Sugar. 15 in. diam. bears N63E. 10 links dist; & a
Do. 15 " " " S39W. 30 " "
Land good bottom; Timber Beech &c.

East Between Secs. 10 & 15 T. 1 N R. 8 W.
40.00 Set a temp'y 1/4 sec post.
41.000 Water to the End of the line
80.00 Set a post for the cor of secs. 10. 11. 14 & 15 from which a
Hoop Ash. 20 in. diam bears N62E 16 links dist; & a
Do. 20 " " " S65W. 28 " "
Land low bottom Timber Ash &c Dec. 22nd 1809.

North Between Secs. 9 & 10 T. 1 N R. 8 W.
1.20 To an Elm or Sugar. 14 in. diam. on the line.
40.00 Set a 1/4 sec post from which a
Beech. 20 in. diam. bears S25E. 25 links dist; & a
Do. 16 " " " N55W 11, " "
44.00 To a Beech. 18 in. diam. stands on the line.
53.00 To a Brook. 10 links wide, Course SE.
70.35 " " Do. 15 " " " S.E.
80.00 Made the cor of secs. 3. 4. 9 & 10 on a Dogwood. 4 in. diam.
Rolling Beech land.

West On a Random line between Secs. 3 & 10 T. 1 N R. 8 W
10.75 To a Brook. —
40.00 Set a temp'y 1/4 sec. post.
80.50 Intersect the N & S line — cor of secs. 3, 4. 9 & 10.

East On the true line between Secs. 3 & 10 T. 1 N R. 8 W
40.25 Set the temp'y 1/4 sec post at eq. dist. on the true line.
Cor on a Gum. 15 in. diam. for 1/4 sec.
80.50 To the post cor of secs. 2, 3, 10 & 11.
Land rolling Timber Beech Oak &c.

T. N° 1. N R. N° 8 W. 2nd Mer. Indª.

North	Between Sec. 3 & 4. T. 1. N R. 8 W.
6.00	To a Beech 24 in. diam. Stands in the line.
35.50	To a Gum. 20 " " " " " "
40.00	Set a ¼ sec post. from which a
	W Oak. — in. diam. bears S 47 E. 11 links dist; & a
	Do. 20 " " " N 85 W 46 " "
43.36.	To a Poplar. 20 in. diam. in the line.
55.27	To " W Oak. 24 " " " " "
84.80	Intersect the N. Boundary 53 links East of the post
	cor of sec. 33 & 34 T. 2. N R. 8 W and set a post for the
	" " " 3 & 4. from which a
	Hickory 20 in. diam. bears S 77 W. 25 links dist; & a
	Elm. 20 " " " S 16 E. 58 " "
	Land 2nd rate; Timber Oak.

North	Between Sec. 32 & 33. T. 1. N R. 8 W.
18.65	To a W Oak. 8 in. diam. in the line.
40.00	Set a ¼ sec post from which a
	W Oak. 8 in. diam. bears N 33 W 44 links dist; & a
	Poplar. 48 " " " S 81 E 35 " "
60.61.	A Poplar 40 in. diam. in the line.
80.00	Set a post for the cor of sec. 28. 29. 32 & 33. from which a
	W Ash 8 in. diam. bears N 14 W 21 links dist; & a
	W Oak. 20 " " " S 15 E 30 " "
	Land hilly and well watered with Springs.
	Timber same as last mile. with Sugar.

West	Between Sec. 28 & 33. T. 1. N R. 8 W
40.10	Set the ¼ sec post at the av. dist. on the true line from
	which a Sugar 8 in. diam. bears N 80 E. 42 links dist.
	and a Do. 14 " " " S 88 W 47 " "
53.00	To a Hicky 28 in. diam. in the line.
62.80	To a Run. 20 links wide course N 45 E. with a
	Good quarry of Sand Stone. on its banks.

T. N° 1. N. R. N° 8 W 2nd Mer. Indª

80.20 Intersect the N & S line at the post cor of sec. 28. 29. 32 & 33.
Land hilly and good soil Well watered with Springs
Timber W & B Walnut. Oak &c.
On a Random line fell 80 links South of the post.

North Between Sec. 28 & 29 T. 1. N R. 8 W
30.64 To a W Ash 10 in diar in the line.
40.00 Set a ¼ sec post from which a
Sugar 14 in diar bears N 8 E. 20 links dist; & a
Red Bud 7 " " " S 58 W. 18 " "
49.00 Comes onto the W. River bottom.
51.35 To a Gum 20 in diar in the line.
53.50 To a Trace.
80.00 Set a post for the cor of sec. 20. 21. 28 & 29 from which a
Gum 14 in. diar bears S 3 W. 17 links dist; & a
Sugar 14 " " " N 71 E. 17 " "
Land 1st ½ mile hilly and soil rich; Timber
Sugar. B Walnut. W Ash. &c.

West Between Sec. 21 & 28 T. 1. N R. 8 W.
17.29 To a Brook of Running water 50 links wide, Course N.
40.05 Set the ¼ sec post at the av. dist on the true line from
which a Hicky 12 in diar bears N 6 W. 24 links dist.
and a W Oak 18 " " " S 41 W. 36 " "
68.50 To a Road leading from the falls to Vincennes
80.10 Intersect the N & S line at the post cor of sec. 20. 21.
28 & 29. Land 1st ½ mile level upland. 2nd ½
Good bottom lands; Timber Sugar, B Walnut,
Hoop Ash, Shell bark Walnut. &c
On Random line fell 60 links North of the post cor.
of sec.—

North Between Sec. 20 & 21. T. 1. N R. 8 W.
7.00 To the Trace from Louisville to Vincennes.
11.65 To a Hicky 10 in diar in the line.

T. No. 1 N. R. No. 8 W. 2nd Mer. Ind.a

35.50 To a Pond 7 chs wide,
40.00 Dr. for cor fell in the pond.
47.70 To a Sweet Gum 36 in diar in the line.
80.00 Set a post for the cor of sec. 16.17.20 & 21 from which a
Elm. 10 in diar bears N 56 E. 21 links dist: & a
Do. 7 " " " N 87 W 13 " "
This mile is on W. River flatts; Timber. B. Walnut
Elm &c. &c.

West Between Sec. 16 & 21. T. 1 N. R. 8 W.
16.70 To a Hickory 8 in diar in the line.
40.00 A Sweet Gum 7 in diar stands for the cor of ¼ sec.
80.00 Set a post for the cor of sec. 16.17.20 & 21. ~~from which~~
Land 1st rate bottom on W. River.
Timber H. Locust. B. Walnut Elm &c.
On Random line fell 55 lks N. of the post. Nov. 3d

North Between Sec. 16 & 17 T. 1 N. R. 8 W.
13.30 To a Red Oak 48 in diar in the line.
15.00 To a Pond 15 chs wide.
40.00 Set a ¼ sec post; Made cor on a Beech 8 in diar cor of
¼ sec.
55.00 An Elm 13 in diar stands on the Left Bank of W.
River for the cor of sec. 16 & 17.
Sandy bottom; 1st rate; Rather low & swampy;
Timber Oak. Elm, Cotton wood, Sugar, Coffeenut.
North Continued the line between Sec. 16 & 17, over the River.
Set a post for the cor of 16 & 17 on the Right Bk of W.
River from which a
Beech 10 in diar bears North 23 links dist: & a
Do. 18 " " " N 82½ E 43 " "
10.92 Set a post for the cor of sec. 8.9.16 & 17 from which a
Ash 24 in diar bears N 85 W 46 links dist: & a
Do. 36 " " " S 36 E. 65 " "

T. No. 1. N. R. No. 8 W. 2nd Mer. Inda.

Over goode bottom

West On the Random line between Sec. 9 & 16. T. 1. N. R. 8 W
40.00 Set a temp.y ¼ sec post.
60.00 To a Brook 6 links wide, Course S.
80.86 Intersect the N & S line at the post cor of Sec. 9. 10. 15 & 16.
Land rolling Timber Beech &c.

East On the True line between Sec. 9 & 16. T. 1. N. R. 8 W
40.43 Set the temp.y ¼ sec at the av dist on the true line from
which a W Oak 30 in diam bears S 23 W 34 lks dist;
and a Sugar 15 " " " N 63 W 27 " "
80.86 To the post cor of Sec. 8. 9. 16 & 17.

North Between Sec 8 & 9 T. 1 N. R. 8 W
1.19 To an Ash 30 in diam on the line.
40.00 Set a ¼ sec post from which a
Beech 30 in diam bears S 6 W 45 links dist; & a
Hick.y 12 " " " N 25 E 17 " "
45.56 To a Sycamore 18 in diam on the line.
46.00 To a Brook 20 links wide Course S.W.
80.00 Set a post for the cor of Sec. 4. 5, 8 & 9 from which a
B Walnut 8 in diam bears S 45 E 19 links dist: & a
Poplar 10 " " " N 28 W 4 " "
Over rolling Beech land.

West On a Random line between Sec. 4 & 9 T. 1 N. R. 8 W
15.00 To a Brook 10 links wide, Course S.
35.15 " " Do. 10 " " " "
40.00 Set a temp.y ¼ sec post
81.50 Intersect the N & S line 10 links North of the post
cor of Sec. 4. 5. 8 & 9
Land 2nd rate brushy Timber Oak. &c.

T. No. 1. N. R. No. 8 W 2nd Mer. Inda

East	On the town line between Sec. 4 & 9. T. 1. N R. 8 W
40.75	Set the temp^y ¼ sec. post at the av. dist. on the town line from
	which a B. Oak 10 in. diam. bears N 18 E 10 links dist.; & a
	Beech — " " " S 7 W 10 " "
80.50	To the post cor. of sec. 3. 4. 9 & 10
North	Between Sec. 4 & 5 T. 1. N R. 8 W
34.70	To a Beech 24 in. diam. in the line
40.00	Set a ¼ sec. post from which a
	Dogwood 9 in. diam. bears S 40 E 22 links dist.; & a
	Sugar 12 " " " S 41 W 17 " "
41.00	To a Poplar 48 in. diam. in the line.
84.30	Intersect the N. Boundary at a B. Oak 2.73 East of the
	post. cor. of sec. 32 & 33 T 2 N R. 8 W. Said B Oak stands
	for the cor. of sec. 4 & 5.
	Over good farming land. Timber Beech & Poplar &c
North	Between Sec. 31 & 32 T. 1 N R. 8 W
11.63	To a Poplar 36 in. diam. in the line
40.00	A Gum 8 in. diam. stands for the cor. of ¼ sec.
57.00	To a Poplar 36 in. diam. in the line
80.00	Set a post for the cor. of sec. 29. 30 31 & 32 from which a
	Beech 8 in. diam. bears South 35 links dist.; & a
	Do. 7 " " " N 12 W 32 " "
	Land uneven but rich soil; Timber B Walnut, W.
	Ash, Poplar, Oak, Hickory &c. 2nd rate.
West	Between Sec. 29 & 32 T. 1 N R. 8 W
33.30	To a Poplar 20 in. diam. in the line
40.00	Set a ¼ sec. post from which a
	W Oak 12 in. diam. bears S 60 W 18 links dist.; & a
	Poplar 20 " " " N 51 E 32 " "
57.44	To a W Ash 13 in. diam. in the line
80.00	To the post cor. of sec. 29. 30. 31 & 32.

T. No 1 N.R. No 8 W. 2nd Mer. Inda.

Level upland; good rich soil; 2nd rate. Timber Oak. Poplar. & Dogwood &c.

West Between Sec. 30 & 31 T. 1 N.R. 8 W

40.00 Set a ¼ sec post from which a
Gum. 12 in diam bears S57E 17 links dist; & a
Do. 8 " " " N43E 14 " "

80.00 Intersect the West Boundary at the post cor of Sec. 30 & 31
Land Heavy timbered bottom. Timber Oak Sugar, & Poplar

North Between Sec 29 & 30 T. 1 N.R. 8 W

5.07 To an Elm. 15 in diam in the line.

40.00 Set a ¼ sec post from which a
Gum. 8 in diam bears N60W 26 links dist: & a
~~Mulberry~~ 18 " " " ~~S11¼ E 43~~ " "

80.00 Set a post for the cor of Sec. 19.20.29 & 30 from which a
W Ash. 8 in diam bears N84E 23 links dist; & a
Do. 20 " " " N70W 27 " "
Land 1st Hills high rich soil; well watered with Springs; Timber W Ash. B Walnut Beech Elm &c.

West Between Sec 20 & 29 T. 1 N R. 8 W.

6.10 To a Sugar. 12 in diam on the line.

40.00 Set a ¼ sec post from which a
W Oak. 20 in diam bears N24W 20 links dist: & a
Sugar. 20 " " " S44E 49 " "

69.00 To an Elm 15 in diam in the line.

80.00 Intersect N & S line at the post cor of Sec. 19,20,29,&30
Land 1st rate, bottom; Timber B Walnut Sugar, some Oak Ash & Elm.
On Random line fell 49 links South of the post

West Between Sec 19 & 30 T. 1 N.R. 8 W

a

40.00 Set a ¼ sec post from which a

Gum. 10 in diar. bears. N83W. 10 links dist; & a
Sugar, 30 " " " N51E. 32 " "
80,00 Intersect the West Boundary at the post cor of sec. 24 & 25 T. 1 N.R. 9 W.
Land rich bottom; Timber Sugar, Poplar, & Ash,
2 Chainings on the line.

North Between Sec. 19 & 20 T. 1 N.R. 8 W
24.25 To a Hicky 12 in diar. in the line.
40.00 Set a qr. sec post from which a
W Oak. 20 in diar. bears. N5W. 38 links dist; & a
Hicky 13 " " " S1E 40 " "
47.50 To a Pond; made an Offset: Pond 5 chs. wide.
66.00 " " Do. Measured it by calculation & found it to be 6 chs wide.
80.00 Set a post for the cor of secs. 17.18.19 & 20 from which a
Elm. 14 in diar. bears. N51E. 30 links dist; & a
Do. 24 " " " S58W. 40 " "
Land rich but low wet and Cold. Timber Elm,
Hicky B. Walnut H. Locust.

West Between Sec. 17 & 20 T. 1 N.R. 8 W.
4.50 To a Sweet Gum 20 in diar. stands in the line
11.00 To a Pond 11 chs wide.
40.00 Set a qr. sec post from which a
Coffeenut 11 in diar. bears N. 69 W. 10 links dist; & a
Sassafras 11 " " " S69E. 13 " "
64.00 To Vincennes Trace.
80.00 To the post cor of secs. 17.18.19 & 20
Land 1st. rate brushy and Green briers; Timber
Elm, Ash, Cold clay land for most part.

West Between Sec. 18 & 19 T. 1 N.R. 8 W
22.00 To a Pond 10 chs wide.

T. No 1. N. R. No 8 W. 2nd Mer. Inda.

40.00 Set a ¼ sec. post from which an
Elm. 20 in. diar. bears N 19 W. 30 links dist. & a
W. Ash 6 " " " N 22 E. 30 " "
48.00 To an Elm. 24 in. diar. in the line.
75.10 To a R. Oak. 14 " " " " "
80.00 Intersect the West Boundary at the post cor. of Sec. 13 & 24
T. 1 N R 9 W.
Land low bushy bottom; Timber Elm Oak & Maple. &c

North Between Sec. 17 & 18 T. 1 N R. 8 W
3.00 To the Vincennes Trace.
33.30 To a W. Locust. 24 in. diar. Stands in the line.
40.00 An Elm. 14 in. diar. Stands for the cor. of ¼ sec.
61.80 To a Soft Maple. 18 in. diar. in the line.
80.00 Set a post for the cor. of Sec. 7, 8, 17 & 18 from which a
Sassafras 18 in. diar. bears N 41 W. 19 links dist. & a
W. Ash. 8 " " " S 2 E. 30 " "
Land low swampy bottom; Timber Elm, Ash, & Oak.

East Between Sec. 8 & 17 T. 1 N R. 8 W
15.50 To a Sugar, 10 in. diar. in the line.
23.00 Set a post on the Left Bank of W. River for the cor. of Sec.
8 & 17 from which a
Red Oak. 14 in. diar. bears S 34 E. 14 links dist. & a
Elm. 18 " " " N 74 W. 40 " "
Land 1st rate; Timber Elm & Sugar.
West Between Sec. 8 & 17.
25.67 A Sugar. 15 in. diar. Stands on the Right Bank of W
River for the cor. of Sec. 8 & 17.
Over bottom land low & Rich.

West Between Sec. 7 & 18 T. 1 N R. 8 W
35.00 To Vincennes Trace
40.00 A Sassafras 19 in. diar. Stands for the cor. of ¼ sec.

T. Nº 1. N.R. Nº 8. W. 2nd. Mer. Indª.

80.00 Intersect the West Boundary at the post cor of sec. 12 & 13. T. 1. N.R. 9 W.
Land W. River bottom; 1st rate; Timber Elm, Honey Locust, Sugar &c.
On a Random line. fell 35 links North.

North Between Sec. 8 & 7 T. 1. N. R. 8 W.
16.35. Set a post on the Left Bank of W. River. for the cor of Sec. 7 & 8 from which a
Beech. 18 in. diar. bears. S 12 E. 62 links dist: & a
Sugar. 20 " " " S 7 W. 17 " "
Land 1st rate; Timber Beech Sugar, Cherry B Walnut.
Nov. 4th. 18.

North Continued the Line between Sec. 7 & 8.
From a Sycamore on the River Bank.
45.00 Set a post for the cor of sec. 5. 6. 7. & 8 ~~from which~~
Made cor of Sec. 5. 6. 7 & 8. on a Beech 15 in. diar.
Land good Bottom. See for true cor. of 5.6.7.&8. line below.

West On a Random line between Sec. 5 & 8. T. 1. N.R. 8 W.
40.00 Set a temp.y 1/4 sec post.
(4)5.00 To a Stream 20 links wide, Course —
79.00 Intersected the N & S line at the post cor of sec. 5. 6. 7. & 8 from which a
Beech. 10 in. diar. bears. S 25½ E. 9 links dist; & a
Do. 8 " " " N 33 E. 16 " "
Over Good farming land / Timber Beech.

East On the true line between Sec. 5 & 8. T. 1. N.R. 8 W.
39.50 Set the temp.y post at the cor. dist. on the true line from which a Beech. 12 in. diar. bears S 58 W. 12 links dist. and a Do. 14 " " " N 52 E. 26 " "
49.00 To the post cor. of sec. 4. 5, 8 & 9.

T. No. 1 N. R. No. 8 W. 2nd Mer. Ind.

West Between Sec. 6 & 7 T. 1 N. R. 7 W.
38.00 To a Sugar — in. diar. in the line.
40.00 Set a 1/4 sec. post from which a
Dogwood 4 in. diar. bears N 66 E 9 links dist. & a
Do. 6 " " " S 31 W 39 " "
42.10 To a Sycam. 18 in. diar. in the line.
50.78. Set a post on the Left Bank of W. River for the cor. of
Sec. 6 & 7 from which a
Hoop Ash 10 in. diar. bears N 1 W 10 links dist. & a
Mulberry 6 " " " S 67 E 23 " "
Land rolling & 2nd rate. Timber Beech,
East Between Sec. 6 & 7. T. 1 N. R. 8 W.
13.50 Set a post on the Left Bank of White River for the cor. of
Sec. 6 & 7 from which a
Beech 11 in. diar. bears N 65 E 17 links dist. & a
Do. 10 " " " N 18 E 11 " "

North Between Sec. 5 & 6. T. 1 N. R. 8 W.
2.36. To a Red Oak 24 in. diar. in the line.
40.00 Set a 1/4 sec. post from which a
[Beech 20 in. diar. bears N 42 1/2 E 53 links dist. & a
Sugar 12 " " " S 61 W 17 " "]
The above bearings have the appearance of being
Erased. They may not be correct. (Transcriber.)
55.00 To a Stream 20 links wide Course W
84.00 " Same, " " " " E.
86.26 To an Elm 30 in. diar. in the line.
94.50. To the above Stream Course E.
107.50 Intersect the N Boundary 335 links East of the post cor.
24.00
83.50
of Sec. 31 & 32 T. 2 N. R. 8 W and set a post for the cor. of
Sec. 5 & 6 from which a
Beech 12 in. diar. bears S 44 1/2 W 25 lks dist. & a
Sugar, 15 " " " S 28 E 31 " "
Over Good land. Growth Beech &c. Aug. 29 1807.

T. No 1. N. R. No 8 W. 2nd Mer. Ind.

Meanders of the Left Bank of White River Beginning. 12.50 N of the cor of Sec 6 & 7 on Range line. thence up the River On the South side or Left Bank, thence

S47 E.	18.62.	To post (on line between Sec 6 & 7.)
S45 E.	19.60.	Line cut White River a little quartering
S43 E.	28.82	down. Gives distance to the offset on the opposite
S50 E.	15.24	Shore. 12.50.
S47½ E	26.14	To post on line between Sec 7 & 8. thence
S54 E.	27.90	To post cor of Sec 8 & 17.
S54 E.	22.00	
S74 E.	13.85.	
S65 E.	20.00	
N85 E.	5.50	To the post cor of Sec 16 & 17.
S78 E.	11.65.	
S65 E.	16.70	
S15 E.	23.50	
S36 E.	5.50	To a Ravine 50 links wide,
S36 E.	6.00	
S54 E.	16.25.	
S71 E.	4.65	
S79 E.	12.22	
N83 E.	14.75.	To post cor of Sec 15 & 16.
S89 E.	13.00	
N74 E.	17.85.	
N84 E.	12.60	
N53 E.	11.50	
N41 E.	14.25.	
N50 E.	10.00	
N62 E	4.00	To post cor of Sec 14 & 15.
N52 E.	12.75.	

N 63 E.	51.00	
N 53 E.	15.00	
N 62 E.	12.00	To post cor of Sec. 12.

N 70 E.	12.75	
N 52 E.	7.00	
N 73 E.	7.00	
N 58 E.	5.50	
N 10 E.	8.00	To a Brook. 50 links wide.
N 10 E.	5.00	
N 5 W.	10.00	
N 13 E.	7.50	
N 4 W.	10.50	
N 18 E.	9.00	
N 7 E.	15.00	
N 10 E.	5.00	To the post cor of Sec. 1. & 12.

N 25 E.	4.50	
N 38 E.	7.00	
N 54 E.	15.00	
N 55 E.	15.00	
N 71 E.	15.00	To post in the East Boundy of Sec. 1. T1 N R. 8 W.

Meanders of White River on the Right Bank upstream
Beginning in the West Boundary of Sec. 6. thence in Sec.

S 58 E.	3.00	
S 63 E.	13.00	At 6.50 A Stream 15 lks wide, Comes from NE.
S 43 E.	8.00	
S 39 E.	10.00	
S 45 E.	24.00	A Stream 30 links wide, Comes from NW.
S 35 E.	3.00	
S 43 E.	19.00	
S 47 E.	4.00	

416

T. No 1. N.R. No 8 W. 2nd Mer. Ind.

S56 E.	5.00	
S55 E.	11.00	
S56 E.	10.80	To the post cor of Sec. 7 & 8.

S52 E.	4.00	
S55 E.	14.00	
S48 E.	10.00	Sec. 8.
S55 E.	3.00	
S60 E.	45.00	To be corrected.
S55 E.	5.00	
S69 E.	11.00	
S78 E.	1.27.	To post. cor of Sec. 16 & 17.

S78 E.	17.00	
S67 E	3.00	
S59 E	20.00	
S41 E.	7.00	
S23 E.	4.00	
S13 E.	6.00	
S10 E	10.00	
S35 E.	11.00	
S55 E.	5.00	
S70 E.	9.00	
East.	20.00.	at 13.27 Post. cor of Sec. 15 & 16.

N74 E.	3.00	
N82 E.	10.00	
N72 E.	15.00	
N63 E.	5.00	
N54 E.	17.00	
N48 E	14.00	
N42 E	5.00	
N52 E.	11.00	
N55 E.	7.40	To the post cor of Sec. 14 & 15.

These meanders appear to be erased. from the beginning of Sec. 8. To Sec. 11.

T. No. 1 N.R. No 8 W. 2nd Mer. Indn

N5 E.	14.00	
N62 E.	5.00	
N8 E.	17.00	
N67 E.	23.00	To post on line 11 & 14.

N62 E.	6.50	
N77 E.	11.00	
N68 E.	8.18	To post cor of Secs. 11 & 12.

N66 E.	23.00	
N2 E.	10.00	
N15 W.	25.00	
N12 E.	18.00	
N27 E.	8.50.	To post cor of Secs. 1 & 12.

N27 E.	7.00	
N37 E.	16.00	
N.50 E.	33.00	
N73 E.	13.00	
East.	8.00	To the East Boundary of Sec. 1.

Meanders of the N. fork of W. River. 11.29 from Town cor.
" " Sec. 1. from the Range line up the River in Sec 1.

N43 W.	10.00	
N25 W.	11.00	To lower point of Island.
N40 W.	6.00.	
N11 W.	2.50	To Town line.

The following line was omitted in its proper place.

East	Between Sec. 11 & 14 T. 1 N.R. 8 W.
1804	To a Hoop Ash. 10 in diam. in the line.
30.00	To Fallen Timber.
	Land good bottom: Timber Hoop Ash & Beech.

Surveyed by Tupper, Stone & Sullivan D.S.

I certify that the foregoing Transcript of the field notes of Township No 1. North of Range No 8. West of the 2nd Principal Meridian, Indiana has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office,
Cincinnati, June. 28. 1841 } E. S. Haines
Sur. General

West Between Sec. 11 & 14
5.00 the River continues on the line to an Elm 10 in. diam. September 1st 1809
East Between Sec. 11 & 14
18.04 a Hoopash 10 in. diam. (Hackberry)
30.00 to fallen timber.
Over Good bottom land, timber Hoopash, Beech &c.